

# U-POL™

## SAFETY DATA SHEET SYSTEM 20 COLOUR MATCH TINTERS

Page 1  
Issued: 05/12/2007  
Revision No: 2

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** SYSTEM 20 COLOUR MATCH TINTERS

**Synonyms:** S2050/S, S2051/S, S2052/S, S2053/S, S2054/S

**Use of substance / preparation:** COLOURANT FOR COATINGS

**Company name:** U-Pol Products  
Denington Industrial Estate  
Denington Road  
Wellingborough  
Northants  
NN8 2QP  
United Kingdom  
Tel: +44-(0)-1933 230300  
Fax: +44-(0)-1933 230351  
Emergency tel: +44-(0)-1933 230310  
Email: technical@u-pol.com

### 2. HAZARDS IDENTIFICATION

**Main hazards:** Irritating to eyes.

**Other hazards:** Flammable.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** 2-METHOXY-1-METHYLETHYL ACETATE 30-50%

EINECS: 203-603-9 CAS: 108-65-6

[-] R10; [Xi] R36

### 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

[cont...]

# SAFETY DATA SHEET

## SYSTEM 20 COLOUR MATCH TINTERS

### 4. FIRST AID MEASURES (ACTION)

- Skin contact:** Wash immediately with plenty of soap and water.
- Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.
- Ingestion:** Do not induce vomiting. Wash out mouth with water. Consult a doctor.
- Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

### 5. FIRE-FIGHTING MEASURES

- Extinguishing media:** Carbon dioxide. Dry chemical powder. Alcohol or polymer foam.
- Exposure hazards:** Flammable. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.
- Protection of fire-fighters:** Wear protective clothing to prevent contact with skin and eyes.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Refer to section 8 of SDS for personal protection details.
- Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.
- Clean-up procedures:** Absorb into dry earth or sand.

### 7. HANDLING AND STORAGE

- Handling requirements:** Ensure there is sufficient ventilation of the area.
- Storage conditions:** Store in cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed.
- Suitable packaging:** Must only be kept in original packaging.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Hazardous ingredients:** 2-METHOXY-1-METHYLETHYL ACETATE  
WEL (8 hr exposure limit): 274 mg/m<sup>3</sup> WEL (15 min exposure limit): 822 mg/m<sup>3</sup>
- Engineering measures:** Ensure there is sufficient ventilation of the area.
- Respiratory protection:** Gas/vapour filter, type A: organic vapours (EN141).
- Hand protection:** Nitrile gloves.
- Eye protection:** Safety glasses with side-shields.
- Skin protection:** Protective clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- State:** Paste
- Colour:** Various
- Odour:** Aromatic
- Evaporation rate:** Slow
- Solubility in water:** Insoluble
- Also soluble in:** Most organic solvents.
- Viscosity:** Viscous
- Viscosity value:** 50,000 CP

**SAFETY DATA SHEET**  
SYSTEM 20 COLOUR MATCH TINTERS

**Flammability limits %:** lower: 1.5  
                                   **upper:** 10.8  
**Flash point°C:** 42  
**Autoflammability°C:** 333  
**Relative density:** 1.2  
**VOC g/l:** 450

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.  
**Conditions to avoid:** Direct sunlight. Heat. Sources of ignition.  
**Materials to avoid:** Oxidising agents.  
**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

**11. TOXICOLOGICAL INFORMATION**

**Hazardous ingredients:** 2-METHOXY-1-METHYLETHYL ACETATE  
                                   IPR MUS LD50 750 mg/kg  
                                   ORL RAT LD50 8532 mg/kg  
**Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Insoluble in water. Heavier than water.  
**Persistence and degradability:** Not biodegradable.  
**Bioaccumulative potential:** No data available.  
**Other adverse effects:** Toxic to aquatic organisms.

**13. DISPOSAL CONSIDERATIONS**

**Disposal operations:** D1 Tipping above or underground (e.g. landfill, etc.).  
**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.  
**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION**

**ADR / RID**

<b>UN no:</b> 1263	<b>ADR Class:</b> 3
<b>Packing group:</b> III	<b>Classification code:</b> F1
<b>Shipping name:</b> PAINT RELATED MATERIAL	
<b>Labelling:</b> 3	<b>Hazard ID no:</b> 30



**SAFETY DATA SHEET**  
SYSTEM 20 COLOUR MATCH TINTERS**IMDG / IMO**

**UN no:** 1263 **Class:** 3  
**Packing group:** III **EmS:** F-E,S-E  
**Marine pollutant:** .  
**Labelling:** 3

**IATA / ICAO**

**UN no:** 1263 **Class:** 3  
**Packing group:** III  
**Packing instructions:** 309(P&CA); 310(CAO)  
**Labelling:** 3

**15. REGULATORY INFORMATION**

**Hazard symbols:** Irritant.



**Risk phrases:** R36: Irritating to eyes.

**Safety phrases:** S2: Keep out of the reach of children.

S25: Avoid contact with eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Water hazard class:** 2 Classification by VwVwS

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

US VOC CONVERSION FACTOR 250 g/l = 2.1 lb/gal

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with EC Directive 2001/58/EC.

FOR PROFESSIONAL USE ONLY. Read full instructions before use.

IMPORTANT: This product contains hazardous materials and therefore appropriate personal protective equipment should always be used.

Please refer to the label and consult the material safety data sheet for full handling instructions and personal protection information. These are available via your local stockist or via the U-POL website at [WWW.U-POL.COM](http://WWW.U-POL.COM).

U-POL disclaim any liability where the user does not wear the recommended personal protective equipment.

**SAFETY DATA SHEET**  
SYSTEM 20 COLOUR MATCH TINTERS

**Risk phrases used in s.3:** R10: Flammable.  
R36: Irritating to eyes.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Addition of reducers, hardeners and other additives over and above U-POL's recommendations for use, may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, this company shall not be held liable for any damage resulting from handling or from contact with the above product.